

<b>Plant Variety Data: Nicotiana tabacum</b>	Year: 20__		updated:			
<b>Variety Name</b>						
Plant length Untopped (to crowfoot) - cm/in						
Plant length Topped - cm/in						
Leaf length (length of 10th leaf from bottom, at maturity) - cm/in						
Leaf width (width of 10th leaf from bottom, at maturity) - cm/in						
Leaf number topped (exclude 2 bed leaves)						
Days at maturity (transplant to 50% plants 1 flower)						
Plant form (pyramidal, columnar, inverted cone, other)						
Flower color (white, pink, red, other)						
Flower head habit (closed, intermediate, open)						
Leaf attachment (sessile, petiolate)						
Leaf carriage of midrib (arched, not arched)						
Leaf color (light green, green, dark green)						
Leaf margin (wavy, not wavy)						
Leaf angle (upper angle between stalk and 10th leaf) - degrees						
Leaf margin (recurved, not recurved)						
Leaf surface (smooth, puckered)						
Stalk diameter - cm/in						
Tip shape (e.g. acute, acuminate, obtuse.)						
Venation patern (square, angular)						
Yield (cured weight) - grams per plant/lbs per plant						
*Auricle configuration						
*Spacing - sq. ft. per plant						
*Air Cured Color (leaf)						
*Air Cured Character						
*Wt. Dried Seed - per plant - g/oz						
*Variety Comment						
1st hornworm eggs:						
2nd wave:						
germination start date						
transplant date						
saved seed sent						
number of seedlings required						
number of seedlings to start						